



WHELAN
THE BOILING WATER SPECIALISTS

**Under Bench
Boiling Water Units**



WHELAN UNDER BENCH BOILING WATER UNITS

The Whelan under bench boiling water units have one unique feature which makes them stand out from similar systems manufactured by other brands. Whelan systems use incoming water pressure to deliver boiling water. This eliminates the need for the aid of complex components such as water pumps and solenoid valves, thus reducing the running costs and keeping the unit easy to maintain.

Each model of the Whelan range of boiling water units, whether wall-mounted or under-bench, has been purposely built with it's own unique characteristics to satisfy the different requirements of the end user, and the motto of simplicity, reliability, durability and low maintenance has set Whelan products apart from the others – we are proud to carry the name of 'Boiling Water Specialists'.

WHELAN THERMAL TAP instant boiling water on tap

The Thermal Tap is a solid, durable under bench system for dispensing boiling water. It is the most basic model within the Whelan range.

This system uses electronic circuitry for accurate temperature control and a solid brass tap with only one moving part for efficient and reliable performance. Since its introduction in 1989, Whelan Thermal Tap remains the best under bench boiling water unit in the market due to its simplicity and reliability which leads to less complications down the line.

An optional energy saver pack with a built in 7-day 24-hour programmable timer can be included to reduce carbon emissions.

Thermal Tap comes in 6 different sizes ranging from 6 cups – 60 cups each with different capacities of boiling water ready for drawing. The largest capacity in the market.



WHELAN ORIGINAL TWIN TAP SERIES 1

instant boiling and chilled water from two separate taps

The Original Twin Tap Series 1 was based on the concept of pairing the solid, durable Thermal Tap and a twin filter manifold with either a matching Thermal Tap or a touchflo faucet. This allows you to have a flexible and simple under bench solution for filtered boiling & chilled water from two separate taps, which is ideal for busy, high traffic environments.

An Optional energy saver pack can be included with a built in 7-day 24-hour programmable timer to reduce carbon emissions.



SELECTION CHART

Whelan Thermal Tap & Whelan Original Twin Tap Series 1

To select the correct size unit for your needs simply determine the maximum number of cups of boiling water required at any one time, then choose the corresponding model from the chart below.

MODEL NO.	No. OF CUPS SERVED	CUP/Hr RECOVERY	TOTAL KW	PHASE	VOLTAGE	HEIGHT mm	WIDTH mm	DEPTH mm
TT 6	6	80	1.8	1	1/240	370	195	200
TT 6T*	6	80	1.8	1	1/240	380	235	235
TT 10	10	110	2.4	1	1/240	380	195	235
TT 10T*	10	110	2.4	1	1/240	380	235	235
TT 20	20	110	2.4	1	1/240	440	195	235
TT 20T*	20	110	2.4	1	1/240	480	235	235
TT 30	30	110	2.4	1	1/240	535	195	235
TT 30T*	30	110	2.4	1	1/240	535	235	235
TT 40	40	110	2.4	1	1/240	455	330	345
TT 40T*	40	110	2.4	1	1/240	455	330	345
TT 60	60	110	2.4	1	1/240	535	330	345
TT 60T*	60	110	2.4	1	1/240	535	330	345

Water Chiller for Original Twin Tap

MODEL NO.	PHASE	GAS	HEIGHT mm	WIDTH mm	DEPTH mm
UWC/1	1/240	R. 134A Env. Friendly	295	400	200
UWC/2	1/240	R. 134A Env. Friendly	278	408	295

WHELAN TWIN TAP SERIES 2 instant filtered boiling & chilled water from one single tap

This is our world patented system, a simple and durable under bench dual purpose drinking water dispenser that gives you the pleasure of having filtered boiling water and filtered chilled water on tap whenever you want it.

The standard Twin Tap Series 2 comes with a twin filter Manifold which offers filtered boiling water and filtered ambient water by turning the handle to each side. If you prefer chilled water instead of ambient, simply add an optional under bench water chiller at any time.

An optional energy saver pack can be included with a built in 7-day 24-hour programmable timer to reduce carbon emissions.

The Twin Tap Series 2 comes in 5 different sizes ranging from 10 cups – 60 cups each with different capacities of boiling water ready for drawing.



SELECTION CHART

Whelan Twin Tap Series 2

To select the correct size unit for your needs simply determine the maximum number of cups of boiling water required at any one time, then choose the corresponding model from the chart below.

MODEL NO.	No. OF CUPS SERVED	CUP/H RECOVERY	TOTAL KW	PHASE VOLTAGE	HEIGHT mm	WIDTH mm	DEPTH mm
FH 10	10	80	1.8	1/240	370	195	200
FH 10 T*	10	80	1.8	1/240	380	235	235
FH 20/4 Ltr	20	110	2.4	1/240	440	195	235
FH 20 T*	20	110	2.4	1/240	480	235	235
FH 30/6 Ltr	30	110	2.4	1/240	535	195	235
FH 30 T*	20	110	2.4	1/240	535	235	235
FH 40/8 Ltr	40	110	2.4	1/240	455	330	345
FH 40 T*	40	110	2.4	1/240	455	330	345
FH 60/12 Ltr	60	110	2.4	1/240	535	330	345
FH 60 T*	60	110	2.4	1/240	535	330	345

Water Chiller (Optional extra on all models)

MODEL NO.	PHASE	GAS	HEIGHT mm	WIDTH mm	DEPTH mm
UWC/1	1/240	R. 134A Env. Friendly	295	400	200
UWC/2	1/240	R. 134A Env. Friendly	278	408	295

Specifications are subject to change without notice. T* = Unit fitted with programmable timer 1 Litre = 5 x 200 ml cups

WARRANTY: 12 months from date of installation. Filter cartridge is excluded from this warranty as cartridge life is depended on water quality and consumption rate.

WHELAN
THE BOILING WATER SPECIALISTS

Whelan Industries
Factory 1, 214-224 Wellington Road
Mulgrave, VIC, 3170

Phone: 03 9560 9000
Fax: 03 9560 2233
Email: sales@whelanindustries.com.au
www.whelanindustries.com.au

Postal Address:
PO Box 48
Mount Waverley, VIC, 3149